






MAXX

Bits



162 Bits

Professional bits at a glance

- | | | |
|-----|-----------------|-------------------------------------------------------------------------------------|
| 164 | MAXX Impact |  |
| 170 | MAXX Stainless |  |
| 174 | MAXX Extra hard |  |
| 176 | MAXX TIN |  |
| 184 | MAXX Diamond |  |

MAXX

Impact bits



Particularly elastic for use with impact screwdrivers

Professional battery-powered impact screwdrivers are becoming ever more powerful. Time for the WITTE impact bit. Thanks to its individual torsional construction and the special heat-treatment, it provides much increased service lifetimes compared with conventional bits. The elastic material absorbs the impact of the screwdriving action and effectively protects the bit.

The compact construction means the bits, with a length of 38 mm, can be used directly in impact screwdriver without a holder.

PH
for PHILLIPS recess screws



ITEM NO.	+	mm	1/4" drive
28520	PH 1	38	E6.3
28521	PH 2	38	E6.3
28522	PH 3	38	E6.3

PZ
for POZIDRIV screws



ITEM NO.	+	mm	1/4" drive
28523	PZ 1	38	E6.3
28524	PZ 2	38	E6.3
28525	PZ 3	38	E6.3

TORX®



ITEM NO.	+	mm	1/4" drive
28490	T15	38	E6.3
28491	T20	38	E6.3
28492	T25	38	E6.3
28493	T30	38	E6.3
28494	T40	38	E6.3

DRY WALL
Impact bit PH2



ITEM NO.	+	mm	1/4" drive
28621	PH 2	38	E6.3



PH for PHILLIPS recess screws

➕ 1 unit on a blister card

ITEM NO.		mm	1/4" drive
28376	PH1	38	E6.3
28377	PH2	38	E6.3
28378	PH3	38	E6.3



Article may deviate from illustration

PZ for POZIDRIV screws

➕ 1 unit on a blister card

ITEM NO.		mm	Antifield 1/4"
28379	PZ 1	38	E6.3
28380	PZ 2	38	E6.3
28381	PZ 3	38	E6.3



Article may deviate from illustration

TORX®

➕ 1 unit on a blister card

ITEM NO.		mm	1/4" drive
28371	T15	38	E6.3
28372	T20	38	E6.3
28373	T25	38	E6.3
28374	T30	38	E6.3
28375	T40	38	E6.3



Article may deviate from illustration

PH for PHILLIPS recess screws

➕ 3 bits in plastic case

ITEM NO.		mm	1/4" drive
428955	PH1	38	E6.3
428956	PH2	38	E6.3
428957	PH3	38	E6.3



Article may deviate from illustration

PZ for POZIDRIV screws

➕ 3 bits in plastic case

ITEM NO.		mm	1/4" drive
428958	PZ 1	38	E6.3
428959	PZ 2	38	E6.3
428960	PZ 3	38	E6.3



Article may deviate from illustration

TORX®

➕ 3 bits in plastic case

ITEM NO.		mm	1/4" drive
428950	T15	38	E6.3
428951	T20	38	E6.3
428952	T25	38	E6.3
428953	T30	38	E6.3
428954	T40	38	E6.3



Article may deviate from illustration

COMBIT-BOX® IMPACT, 6-pcs. set
 Order no. 28570  Order no. 33000

Qty	ITEM NO.	Drive	mm	1/4" drive
1	28490	T15	38 mm	ES.3
1	28491	T20	38 mm	ES.3
2	28492	T25	38 mm	ES.3
1	28493	T30	38 mm	ES.3
1	28494	T40	38 mm	ES.3



COMBIT-BOX® IMPACT, 10-pcs. set
 Order no. 28477  Order no. 28478

Qty	ITEM NO.	Drive	mm	1/4" drive
1	28376	PH1	38 mm	ES.3
1	28377	PH2	38 mm	ES.3
1	28378	PH3	38 mm	ES.3
1	28379	PZ1	38 mm	ES.3
1	28380	PZ2	38 mm	ES.3
1	28381	PZ3	38 mm	ES.3
1	28371	T15	38 mm	ES.3
1	28372	T20	38 mm	ES.3
1	28373	T25	38 mm	ES.3
1	28374	T30	38 mm	ES.3



28430 IMPACT BIT SET, 21-pcs. set

Qty	ITEM NO.	Drive	mm	1/4" drive
1	28294	PH1	60 mm	ES.3
1	28520	PH2	38 mm	ES.3
2	28521	PH2	38 mm	ES.3
2	28522	PH3	38 mm	ES.3
2	28523	PZ1	38 mm	ES.3
1	28524	PZ2	38 mm	ES.3
2	28525	PZ3	38 mm	ES.3
2	28490	T15	38 mm	ES.3
2	28491	T20	38 mm	ES.3
2	28492	T25	38 mm	ES.3
2	28493	T30	38 mm	ES.3
2	28494	T40	38 mm	ES.3



COMBIT-BOX®

- The advantages**
- High-quality and safe, durable, sturdy plastic construction
 - Compact, plenty of tools – low space requirement
 - Comprehensive, all popular tool sizes included



Open the box by twisting the upper part slightly ...



... which gives easy access to the bits and bit holder.



Try the convenient stand function

MAXX

Stainless bits



For safe working with
stainless steel screws

If stainless steel screws are not tightened with stainless steel tools, there is likely to be abrasion. This often results in extraneous rust and can even cause pitting corrosion that jeopardises safety. WITTE stainless bits are specially vacuum ice-hardened for use in professional work environments and boast special hardness and strength characteristics. This weather and corrosion resistant material enables it to be used outdoors, in solar technology, marine engineering, the food processing industry and many other sensitive fields of application.

PH for PHILLIPS recess screws



ITEM NO.	mm	1/4" drive
28501	PH 1	C6.3
28502	PH 2	C6.3
28503	PH 3	C6.3

PZ for POZIDRIV screws



ITEM NO.	mm	1/4" drive
28511	PZ 1	C6.3
28512	PZ 2	C6.3
28513	PZ 3	C6.3

TORX®



ITEM NO.	mm	1/4" drive
28530	T10	C6.3
28531	T15	C6.3
28532	T20	C6.3
28533	T25	C6.3
28534	T27	C6.3
28535	T30	C6.3
28536	T40	C6.3



POST FREI
STAHLEN
STAINLESS STEEL

PH for PHILLIPS recess screws

➕ 1 unit on a blister card

ITEM NO.		mm	1/4" drive
28511	PH1	25	●
28512	PH2	25	●
28513	PH3	25	●



Article may deviate from illustration

PZ for POZIDRIV screws

➕ 1 unit on a blister card

ITEM NO.		mm	1/4" drive
28521	PZ 1	25	●
28522	PZ 2	25	●
28523	PZ 3	25	●



Article may deviate from illustration

TORX®

➕ 1 unit on a blister card

ITEM NO.		mm	1/4" drive
28530	T10	25	●
28531	T15	25	●
28532	T20	25	●
28533	T25	25	●
28534	T27	25	●
28535	T30	25	●
28536	T40	25	●



Article may deviate from illustration

RATCHDRIVE® STAINLESS

📄 Order no. 25103

Qty	ITEM NO.	Drive	mm	1/4" drive
1	28530	T10	60	●
1	28531	T15	25	●
1	28532	T20	25	●
1	28533	T25	25	●
1	28535	T30	25	●
1	28536	T40	25	●

COMBIT-BOX® STAINLESS, 7-pcs. set

📄 Order no. 28556 📄 Order no. 33100

Qty	ITEM NO.	Drive	mm	1/4" drive
1	28294	T10	60	●
1	28530	T10	25	●
1	28531	T15	25	●
1	28532	T20	25	●
1	28533	T25	25	●
1	28535	T30	25	●
1	28536	T40	25	●

COMBIT-BOX® STAINLESS, 11-pcs. set

📄 Order no. 28451 📄 Order no. 28461

Qty	ITEM NO.	Drive	mm	1/4" drive
1	28294	T10	60	●
1	28530	T10	25	●
1	28531	T15	25	●
1	28532	T20	25	●
1	28533	T25	25	●
1	28535	T30	25	●
1	28536	T40	25	●
1	28501	PH1	25	●
1	28502	PH2	25	●
1	28511	PZ 1	25	●
1	28512	PZ 2	25	●



Application: see P. 183



Application: see P. 169



Application: see P. 169

MAXX

Extra-hard bits



Extra-hard bits for low and uniformly increasing torques

WITTE extra-hard industrial bits are particularly well suited to fastener tightening at low, but steadily increasing torques during which large amounts of wear & tear occur, such as during cam-out. The special hardness of 62-64 HRC guarantees long service lifetimes.

PH for PHILLIPS recess screws



Extra hard
DIN ISO1173



Extra hard, tapered tip
DIN ISO1173

ITEM NO.	+	mm	1/4 drive	●
27120	PH 1	25	C6.3	
27121	PH 2	25	C6.3	
27122	PH 3	25	C6.3	

ITEM NO.	+	mm	1/4 drive	●
27123	PH 2	25	C6.3	

PZ for POZIDRIV screws



Extra hard
DIN ISO1173



Extra hard, tapered tip
DIN ISO1173

ITEM NO.	+	mm	1/4 drive	●
27245	PZ 1	25	C6.3	
27246	PZ 2	25	C6.3	
27247	PZ 3	25	C6.3	

ITEM NO.	+	mm	1/4 drive	●
27248	PZ 2	25	C6.3	

MAXX

TIN bits



Optimum resistance to wear thanks to very hard titanium nitride (TiN) coating

The titanium nitride coating on the bits has a hardness of approx. 2800 HV and is ideally suited to screw-tightening sequences. Thanks to the longer lifetimes and much reduced retooling times, there are considerable saving effects here.

PH

for PHILLIPS recess screws



with the damping zone between the drive and tip



ITEM NO.	1/4" drive	ITEM NO.	1/4" drive
28421	PH 1 25	27320	PH 1 25
28422	PH 2 25	27321	PH 2 25
28423	PH 3 25	27322	PH 3 25

ITEM NO.	1/4" drive	ITEM NO.	1/4" drive
	6.3 mm		6.3 mm
	6.3 mm		6.3 mm



DIN ISO1173

ITEM NO.	1/4" drive	ITEM NO.	1/4" drive
27551	PH 1 50	ES.3	ES.3
27552	PH 2 50	ES.3	ES.3
27553	PH 3 50	ES.3	ES.3

PZ for POZIDRIV screws



with the damping zone between the drive and tip



DIN ISO1173

ITEM NO.	1/4" drive	ITEM NO.	1/4" drive
28445	PZ 1 25	27345	PZ 1 25
28446	PZ 2 25	27346	PZ 2 25
28447	PZ 3 25	27347	PZ 3 25

ITEM NO.	1/4" drive	ITEM NO.	1/4" drive
	6.3 mm		6.3 mm
	6.3 mm		6.3 mm



DIN ISO1173

ITEM NO.	1/4" drive	ITEM NO.	1/4" drive
27541	PZ 1 50	ES.3	ES.3
27542	PZ 2 50	ES.3	ES.3
27543	PZ 3 50	ES.3	ES.3

Slotted



DIN ISO1173

ITEM NO.	1/4" drive	ITEM NO.	1/4" drive
28431	0.8 x 4.5 25	27531	0.8 x 4.5 50
28432	0.8 x 5.5 25	27532	0.8 x 5.5 50
28434	1.2 x 6.5 25	27534	1.2 x 6.5 50



DIN ISO1173

ITEM NO.	1/4" drive	ITEM NO.	1/4" drive
	6.3		6.3
	6.3		6.3

TORX®



DIN ISO1773

ITEM NO.		mm	1/4" drive
29519	T10	25	●
29514	T15	25	●
29515	T20	25	●
29516	T25	25	●
29517	T27	25	●
29518	T30	25	●
29519	T40	25	●



DIN ISO1773

ITEM NO.		mm	1/4" drive
29619	T10	50	●
29614	T15	50	●
29615	T20	50	●
29616	T25	50	●
29617	T27	50	●
29618	T30	50	●
29619	T40	50	●

TORX® TAMPER RESISTANT



DIN ISO1773

ITEM NO.		mm	1/4" drive
29593	TR 10	25	●
29594	TR 15	25	●
29595	TR 20	25	●
29596	TR 25	25	●
29597	TR 27	25	●
29598	TR 30	25	●
29599	TR 40	25	●

PH

for PHILLIPS recess screws

2 unit on a blister card

ITEM NO.		mm	1/4" drive
27324	PH 1	25	●
28708	PH 2	25	●
27326	PH 3	25	●



Article may deviate from illustration

PZ

for POZIDRIV screws

2 unit on a blister card

ITEM NO.		mm	1/4" drive
28661	PZ 1	25	●
28662	PZ 2	25	●
28663	PZ 3	25	●



Article may deviate from illustration

PH

for PHILLIPS recess screws



ITEM NO.		Qty	mm	1/4" drive
427320	PH 1	10	25	●
427321	PH 2	10	25	●
427322	PH 3	10	25	●



Article may deviate from illustration

PZ

for POZIDRIV screws



ITEM NO.		Qty	mm	1/4" drive
427345	PZ 1	10	25	●
427346	PZ 2	10	25	●
427347	PZ 3	10	25	●



Article may deviate from illustration

PH BIFLEX

for PHILLIPS recess screws



1 unit on a blister card

ITEM NO.		mm	1/4" drive
26795	PH 1	25	●
26796	PH 2	25	●
26797	PH 3	25	●



Article may deviate from illustration

PZ BIFLEX

for POZIDRIV screws



1 unit on a blister card

ITEM NO.		mm	1/4" drive
26825	PZ 1	25	●
26826	PZ 2	25	●
26827	PZ 3	25	●



Article may deviate from illustration

PH BITFLEX TIN

for PHILLIPS recess screws

➕ In plastic case

ITEM NO.	➕	Qty	mm	1/4" drive
428442	PH 2	15	25	6,3 mm



Article may deviate from illustration

PZ BITFLEX TIN

for POZIDRIV screws

➕ In plastic case

ITEM NO.	➕	Qty	mm	1/4" drive
428446	PZ 2	15	25	6,3 mm



Article may deviate from illustration

PH TIN - 50 MM

for PHILLIPS recess screws

➕ In plastic case

ITEM NO.	➕	Qty	mm	1/4" drive
427552	PH 2	5	50	6,3



Article may deviate from illustration

PZ TIN - 50 MM

for POZIDRIV screws

➕ In plastic case

ITEM NO.	➕	Qty	mm	1/4" drive
427542	PZ 2	5	50	6,3



Article may deviate from illustration

COMBIT-BOX® BITFLEX TIN, 7-pcs. set

📄 Order no. 28555

📄 Order no. 33200

Qty	ITEM NO.	Drive	mm	1/4" drive
1	28294	PH 1	60	6,3
1	28421	PH 1	25	6,3
1	28422	PH 2	25	6,3
1	28423	PH 3	25	6,3
1	28445	PZ 1	25	6,3
1	28446	PZ 2	25	6,3
1	28447	PZ 3	25	6,3



Application see p. 169

COMBIT-BOX® BITFLEX TIN, 11-pcs. set

📄 Order no. 28453

📄 Order no. 28463

Qty	ITEM NO.	Drive	mm	1/4" drive
1	28294	PH 1	60	6,3
1	28421	PH 1	25	6,3
3	28422	PH 2	25	6,3
1	28423	PH 3	25	6,3
1	28445	PZ 1	25	6,3
3	28446	PZ 2	25	6,3
1	28447	PZ 3	25	6,3



Application see p. 169

RATCHDRIVE® TIN

📄 Order no. 25104

Qty	ITEM NO.	Drive	mm	1/4" drive
1	27320	PH 1	60	6,3
1	27321	PH 2	25	6,3
1	27322	PH 3	25	6,3
1	27345	PZ 1	25	6,3
1	27346	PZ 2	25	6,3
1	27347	PZ 3	25	6,3



Application see p. 183

RATCHDRIVE® BITFLEX TIN

📄 Order no. 25105

Qty	ITEM NO.	Drive	mm	1/4" drive
1	28421	PH 1	60	6,3
1	28422	PH 2	25	6,3
1	28423	PH 3	25	6,3
1	28445	PZ 1	25	6,3
1	28446	PZ 2	25	6,3
1	28447	PZ 3	25	6,3



Application see p. 183



RATCHDRIVE®-BOX

Easy removal of the bits and quick-change holder.

Insert the quick-change holder (to change ratchet direction, simply insert the bit holder from the other side) ...

and you can apply the convenient, safe ratchet function.



The advantages

- Powerful, fine action ratchet mechanism, integrated in a compact bit box
- One quick-change holder and six high-quality bits in various sets provide just the right tool for every screwdriving job

MAXX


Diamond bits



Low contact pressure
thanks to fine diamond particles that bite into the screw head

MAXX Diamond bits with the microparticle diamond coating bite into the surface of the screw head recess. Cam-out is reduced in this way by a considerable amount. This is particularly critical when the surrounding surfaces are sensitive or expensive.

With the microparticle diamond coating, WITTE DIAMOND bits provide unbeatable grip and, thanks to the high-grade gold coating, optimum corrosion protection.



PH for PHILLIPS recess screws



BITFLEX
with the damping zone between the drive and tip

ITEM NO.	Drive	Length [mm]	Width [mm]	Material
27971	PH 1	25	6.3 mm	CS.3
27972	PH 2	25	6.3 mm	CS.3
27973	PH 3	25	6.3 mm	CS.3



DIN ISO1173

ITEM NO.	Drive	Length [mm]	Width [mm]	Material
27391	PH 1	25	6.3 mm	CS.3
27392	PH 2	25	6.3 mm	CS.3
27393	PH 3	25	6.3 mm	CS.3

PZ for POZIDRIV screws



BITFLEX
with the damping zone between the drive and tip

ITEM NO.	Drive	Length [mm]	Width [mm]	Material
28011	PZ 1	25	6.3 mm	CS.3
28012	PZ 2	25	6.3 mm	CS.3
28013	PZ 3	25	6.3 mm	CS.3



DIN ISO1173

ITEM NO.	Drive	Length [mm]	Width [mm]	Material
27611	PZ 1	25	6.3 mm	CS.3
27612	PZ 2	25	6.3 mm	CS.3
27613	PZ 3	25	6.3 mm	CS.3

PH

for PHILLIPS recess screws



1 unit on a blister card

ITEM NO.	Drive	Length [mm]	Width [mm]	Material
26630	PH 1	25	6.3	CS.3
26631	PH 2	25	6.3	CS.3
26632	PH 3	25	6.3	CS.3



Article may deviate from illustration

PZ

for POZIDRIV screws



1 unit on a blister card

ITEM NO.	Drive	Length [mm]	Width [mm]	Material
26636	PZ 1	25	6.3	CS.3
26637	PZ 2	25	6.3	CS.3
26638	PZ 3	25	6.3	CS.3



Article may deviate from illustration

RATCHDRIVE® DIAMOND

Order no. 25106

Qty	ITEM NO.	Drive	mm	1/4" drive
1	26294	PH 1	60	ES,3
1	27391	PH 2	25	CS,3
1	27392	PH 2	25	CS,3
1	27393	PH 3	25	CS,3
1	27611	FZ 1	25	CS,3
1	27612	FZ 2	25	CS,3
1	27613	FZ 3	25	CS,3



COMBIT-BOX® DIAMOND, 7-pcs. set

Order no. 28557

Order no. 33300

Qty	ITEM NO.	Drive	mm	1/4" drive
1	26294	PH 1	60	ES,3
1	27391	PH 2	25	CS,3
1	27392	PH 2	25	CS,3
1	27393	PH 3	25	CS,3
1	27611	FZ 1	25	CS,3
1	27612	FZ 2	25	CS,3
1	27613	FZ 3	25	CS,3




COMBIT-BOX® DIAMOND, 11-pcs. set

Order no. 28452

Order no. 28462

Qty	ITEM NO.	Drive	mm	1/4" drive
1	26294	PH 1	60	ES,3
1	27391	PH 2	25	CS,3
1	27392	PH 2	25	CS,3
1	27393	PH 3	25	CS,3
1	27611	FZ 1	25	CS,3
1	27612	FZ 2	25	CS,3
1	27613	FZ 3	25	CS,3



PRO

Bits



188 Bits

Industrial bits at a glance

190 PRO Bits



202 PRO bitholder



PZ for POZIDRIV/ screws



BITFLEX
with the damping zone
between the drive and tip



DIN ISO1773

ITEM NO.	Drive	Length mm
28045	PZ 1	25
28046	PZ 2	25
28047	PZ 3	25

1/4" drive ●

ITEM NO.

Drive	Length mm
PZ 0	25
PZ 1	25
PZ 2	25
PZ 3	25
PZ 2	32
PZ 3	32
PZ 4	32

1/4" drive ●

ITEM NO.	Drive	Length mm	Tip
27043	PZ 0	25	CS.3
27045	PZ 1	25	CS.3
27046	PZ 2	25	CS.3
27047	PZ 3	25	CS.3
27052	PZ 2	32	CS.3
27053	PZ 3	32	CS.3
27048	PZ 4	32	CS.3

ITEM NO.	Drive	Length mm
27545	PZ 1	50
27546	PZ 2	50
27547	PZ 3	50
27548	PZ 4	50

ITEM NO.	Drive	Length mm	Tip
27057	PZ 2	25	CS.3

1/4" drive ●

ITEM NO.

Drive	Length mm
PZ 2	25

1/4" drive ●



DIN ISO1773



Truncated tip
DIN ISO1773

Bits

PRO



Robust quality bits for
industrial use

WITTE PRO bits have proved their worth due to their consistently high quality - resulting from state-of-the-art production processes.

The complex hardening process guarantees permanent hardness of 59-61 HRC to meet tough requirements in industry and the trades.

ITEM NO.	Drive	Length mm	Tip
27560	PZ 1	70	ES.3
27565	PZ 2	70	ES.3
27570	PZ 3	70	ES.3
27561	PZ 1	90	ES.3
27566	PZ 2	90	ES.3
27571	PZ 3	90	ES.3
27562	PZ 1	110	ES.3
27567	PZ 2	110	ES.3
27572	PZ 3	110	ES.3
27563	PZ 1	125	ES.3
27568	PZ 2	125	ES.3
27573	PZ 3	125	ES.3
27564	PZ 1	150	ES.3
27569	PZ 2	150	ES.3
27574	PZ 3	150	ES.3

1/4" drive ●

ITEM NO.

Drive	Length mm
PZ 1	32
PZ 2	32
PZ 3	32
PZ 4	32

5/16" drive ●



DIN ISO1773



DIN ISO1773

ITEM NO.	Drive	Length mm	Tip
30701	PZ 1	50	A5.5
30702	PZ 2	50	A5.5
30703	PZ 3	50	A5.5

Drive 5/16" drive ●

ITEM NO.

Drive	Length mm
PZ 1	53
PZ 2	53
PZ 3	53

7/16" drive ●



DIN ISO1773



DIN ISO1773

SPANNER BITS



Tamper-proof bits
for security fasteners

ITEM NO.			ITEM NO.		
26481	4	0.8 x 3.5	25	6.3	1/4" drive
26482	6	0.8 x 4.3	25	6.3	1/4" drive
26483	8	1.0 x 5.3	25	6.3	1/4" drive
26484	10	1.2 x 6.2	25	6.3	1/4" drive

Slotted



DIN ISO1773



DIN ISO1773

ITEM NO.			ITEM NO.		
26410	0.5 x 4.0	25	27310	0.5 x 4.0	50
26411	0.8 x 4.5	25	27311	0.8 x 4.5	50
26412	1.0 x 5.5	25	27312	1.0 x 6.5	50
26413	1.2 x 6.5	25	27313	1.2 x 8.0	50
26414	1.5 x 8.5	25	27314	1.5 x 8.0	50
26415	1.6 x 8.0	25	27315	1.6 x 8.0	50
26416	1.6 x 9.0	38	27316	1.6 x 9.0	50



DIN ISO1773



DIN ISO1773

ITEM NO.			ITEM NO.		
27328	0.8 x 5.5	41	30680	0.5 x 4.0	50
27331	1.0 x 6.0	41	30681	0.8 x 4.5	50
27329	1.2 x 6.5	41	30682	1.0 x 5.5	50
27332	1.6 x 8.0	41	30683	1.0 x 6.0	50
27333	1.6 x 10.0	41	30684	1.2 x 6.5	50
27334	2.0 x 12.0	41	30685	1.6 x 8.0	50



DIN ISO1773

ITEM NO.			ITEM NO.		
307780	0.5 x 4.0	53	67	7.0	7.0 mm drive
307781	0.6 x 4.5	53	67	7.0	7.0 mm drive
307782	0.8 x 5.5	53	67	7.0	7.0 mm drive
307783	1.0 x 6.0	53	67	7.0	7.0 mm drive
307784	1.2 x 6.5	53	67	7.0	7.0 mm drive
307785	1.6 x 8.0	53	67	7.0	7.0 mm drive

XZN triple-square



DIN ISO1773



DIN ISO1773

ITEM NO.			ITEM NO.		
27414	M 4	25	27840	M 4	35
27415	M 5	25	27841	M 5	35
27416	M 6	25	27842	M 6	35
27418	M 8	25	27843	M 8	35
			27844	M 10	35
			27845	M 12	35

Square drive



DIN ISO1773



DIN ISO1773

ITEM NO.			ITEM NO.		
27091	1	25	27591	1	50
27092	2	25	27592	2	50
27093	3	25	27593	3	50

MODUL PHILLIPS

for +/- screws in electrical installations



DIN ISO1773



DIN ISO1773

ITEM NO.			ITEM NO.		
26461	PH 1 / MODUL	70	26471	P2 1 / MODUL	70
26462	PH 2 / MODUL	70	26472	P2 2 / MODUL	70

TORQ-SET



DIN ISO1773



DIN ISO1773

ITEM NO.			ITEM NO.		
27330	TS 0	25	27384	TS 8	32
27331	TS 1	25	27385	TS 10	32
27332	TS 2	25	27386	TS 12	32
27333	TS 3	25	27387	TS 16*	32
27334	TS 4	25	27388	TS 18*	32
27335	TS 5	25	27389	TS 20*	32
27336	TS 6	25			
27337	TS 8	25			
27338	TS 10	25			
27339	TS 1/4"	32			

Internal hex



ITEM NO.		DIN ISO1773	ITEM NO.		DIN ISO1773
Z7080	15	25	Z7193	3	50
Z7081	2	25	Z7194	4	50
Z7082	2.5	25	Z7195	5	50
Z7083	3	25	Z7196	6	50
Z7084	4	25	Z7198	8	50
Z7085	5	25			
Z7086	6	25			
Z7087	8	25			



ITEM NO.		5/16" drive	ITEM NO.		5.5 mm drive
Z7891	4	30	C8 30753	3	50
Z7892	5	30	C8 30754	4	50
Z7893	6	30	C8 30755	5	50
Z7894	8	30	C8 30756	6	50
Z7895	10	30	C8 30758	8	50
			C8 30759	9	50
			C8 30759	10	50



Ball end



ITEM NO.		DIN ISO1773	ITEM NO.		1/4" drive
Z7183	3	50	E6.3 28231	5	45
Z7184	4	50	E6.3 28232	5.5	45
Z7185	5	50	E6.3 28233	6	45
Z7186	6	50	E6.3 28234	7	45
			E6.3 28235	8	45
			E6.3 28236	9	45
			E6.3 28237	10	45
			E6.3 28238	11	45
			E6.3 28239	12	45
			E6.3 28240	13	45
			E6.3 28241	1/4"	45
			E6.3 28242	3/8"	45
			E6.3 28243	5/16"	45

DIN ISO1773



Magnetic
DIN ISO1773

External hex

TRI-WING



ITEM NO.		DIN ISO1773	ITEM NO.		1/4" drive
Z7480	TW 0	25	C6.3 27481	TW 1	25
Z7481	TW 1	25	C6.3 27482	TW 2	25
Z7482	TW 2	25	C6.3 27483	TW 3	25
Z7483	TW 3	25	C6.3 27484	TW 4	25
Z7484	TW 4	25	C6.3 27485	TW 5	25
Z7485	TW 5	25			

DIN ISO1773

1/4" Adapters



ITEM NO.		DIN ISO1773	ITEM NO.		1/4" drive
Z6298	1/4"	25	C6.3 26398	1/4"	50
Z6398	1/4"	50			

DIN ISO1773

Double-ended bits



ITEM NO.		DIN ISO1773	ITEM NO.		1/4" drive
29010	PH 1	PZ 1	29001	PH 1	0.8 x 4.5
29011	PH 2	PZ 2	29002	PH 2	0.8 x 5.5
29012	PH 3	PZ 3	29003	PH 3	1.0 x 6.0

mm

6.3 mm




6.3 mm

ITEM NO.		1/4" drive	ITEM NO.		1/4" drive
29004	PZ 1	0.8 x 4.5	29007	PH 1	0.5 x 3.0
29005	PZ 2	0.8 x 5.5	29008	PH 2	0.8 x 5.5
29006	PZ 3	1.0 x 6.0	29009	PH 3	1.2 x 6.5

mm

6.3 mm



6.3 mm



ITEM NO.		1/4" drive	ITEM NO.		1/4" drive
29016	T10	T15	60	6.3 mm	
29017	T20	T25	60	6.3 mm	
29018	T30	T40	60	6.3 mm	

6.3 mm




6.3 mm

PH

for PHILLIPS recess screws

➕ 2 unit on a blister card

ITEM NO.	PH1 PH2 PH3	25 25 25	mm	1/4" drive	●	CG.3 CG.3 CG.3
28720	PH1	25				CG.3
28721	PH2	25				CG.3
28722	PH3	25				CG.3




Article may deviate from illustration

PZ

for POZIDRIV screws

➕ 2 unit on a blister card

ITEM NO.	PZ1 PZ2 PZ3	25 25 25	mm	1/4" drive	●	CG.3 CG.3 CG.3
28716	PZ1	25				CG.3
28717	PZ2	25				CG.3
28718	PZ3	25				CG.3



Article may deviate from illustration

TORX®

➕ 2 unit on a blister card

ITEM NO.	T10 T15 T20 T25 T27 T30 T40	25 25 25 25 25 25 25	mm	1/4" drive	●	CG.3 CG.3 CG.3 CG.3 CG.3 CG.3 CG.3
28810	T10	25				CG.3
28811	T15	25				CG.3
28812	T20	25				CG.3
28813	T25	25				CG.3
28814	T27	25				CG.3
28815	T30	25				CG.3
28816	T40	25				CG.3



Article may deviate from illustration

PH BITFLEX

for PHILLIPS recess screws

➕ 2 unit on a blister card

ITEM NO.	PH1 PH2 PH3	25 25 25	mm	1/4" drive	●	6.3 mm 6.3 mm 6.3 mm
28771	PH1	25				6.3 mm
28772	PH2	25				6.3 mm
28773	PH3	25				6.3 mm



Article may deviate from illustration

PZ BITFLEX

for POZIDRIV screws

➕ 2 unit on a blister card

ITEM NO.	PZ1 PZ2 PZ3	25 25 25	mm	1/4" drive	●	6.3 mm 6.3 mm 6.3 mm
28801	PZ1	25				6.3 mm
28802	PZ2	25				6.3 mm
28803	PZ3	25				6.3 mm



Article may deviate from illustration

PH

for PHILLIPS recess screws



In plastic case

ITEM NO.		QTY	mm	1/4" drive
427020	PH1	25	25	06.3
427021	PH2	25	25	06.3
427022	PH3	15	25	06.3



Article may deviate from illustration

PZ

for POZIDRIV screws



In plastic case

ITEM NO.		QTY	mm	1/4" drive
427045	PZ1	25	25	06.3
427046	PZ2	25	25	06.3
427047	PZ3	15	25	06.3



Article may deviate from illustration

TORX®



In plastic case

ITEM NO.		QTY	mm	1/4" drive
429503	T10	5	25	06.3
429504	T15	5	25	06.3
429505	T20	5	25	06.3
429506	T25	5	25	06.3
429507	T27	5	25	06.3
429508	T30	5	25	06.3
429509	T40	5	25	06.3



Article may deviate from illustration

PH BITFLEX

for PHILLIPS recess screws



In plastic case

ITEM NO.		QTY	mm	1/4" drive
428022	PH2	25	25	06.3



Article may deviate from illustration

PZ BITFLEX

for POZIDRIV screws



In plastic case

ITEM NO.		QTY	mm	1/4" drive
428046	PZ2	25	25	6.3 mm
428047	PZ3	15	25	6.3 mm



Article may deviate from illustration

PH - 50 mm

for PHILLIPS recess screws



In plastic case

ITEM NO.		QTY	mm	1/4" drive
427520	PH1	10	50	06.3
427521	PH2	10	50	06.3
427522	PH3	10	50	06.3



Article may deviate from illustration

PZ - 50 mm

for POZIDRIV screws



In plastic case

ITEM NO.		QTY	mm	1/4" drive
427545	PZ1	10	50	06.3
427546	PZ2	10	50	06.3
427547	PZ3	10	50	06.3



Article may deviate from illustration

TORX® - 50 mm



In plastic case

ITEM NO.		QTY	mm	1/4" drive
429603	T10	5	50	06.3
429604	T15	5	50	06.3
429605	T20	5	50	06.3
429606	T25	5	50	06.3
429607	T27	5	50	06.3
429608	T30	5	50	06.3
429609	T40	5	50	06.3



Article may deviate from illustration

Bitholders

With permanent magnet

ITEM NO.	Drive	mm	ITEM NO.	Drive	mm
28006	1/4" ● E6.3 DIN 3126 Universal without snap ring	60	28001	1/4" ● E6.3 DIN 3126 Universal with snap ring	75
			28014	Universal with snap ring	150
			28024	Universal with snap ring	200
ITEM NO.	Drive	mm	ITEM NO.	Drive	mm
28294	1/4" ● E6.3 DIN 3126 Universal with quick-action chuck and snap ring	60	28310	1/4" ● E6.3 DIN 3126 Depth's stop with magnetic retain- er function, without snap ring	60
ITEM NO.	Drive	mm	ITEM NO.	Drive	mm
28005	11.0 mm with snap ring	82	28009	10.0 mm SDS plus with snap ring	78

Magnetic holders

1 unit on a blister card

ITEM NO.	Drive	mm	1/4" drive ●
26704	26294	60	E6.3 DIN 3126
28319	28310	60	E6.3 DIN 3126
26703	26006	60	E6.3 DIN 3126
26010	28001	75	E6.3 DIN 3126

Article may
deviate from
illustration




429702 Magnetic screw holders

In a plastic case

mm	mm	mm	Colour
4.5	21	21	
6.0	21	21	
8.0	21	21	



Article may
deviate from
illustration



RATCHDRIVE® INDUSTRY

Order no. 25101

Qty	ITEM NO.	Drive	mm	1/4" drive ●
1	Z7020	PH 1	60	E6.3
1	Z7021	PH 2	25	C6.3
1	Z7022	PH 3	25	C6.3
1	Z7045	PZ 1	25	C6.3
1	Z7046	PZ 2	25	C6.3
1	Z7047	PZ 3	25	C6.3

RATCHDRIVE® INDUSTRY

Order no. 25102

Qty	ITEM NO.	Drive	mm	1/4" drive ●
1	28503	T10	60	E6.3
1	28504	T15	25	C6.3
1	28505	T20	25	C6.3
1	28506	T25	25	C6.3
1	28508	T30	25	C6.3
1	28509	T40	25	C6.3



Application:
see p. 183



Application:
see p. 183